
Transport & Rescue System 2023














Mountain - Cave - Canyon - Sea - Helicopter lifting

UT2000 - the perfect tool for all rescue situations

Perfected and thought-out down to the last detail



Technical data:

Length without removable frame: 94 cm, coupled as stretcher 180 cm. Length with removable frame: 104 cm, coupled as stretcher 200 cm.

Width: 44 cm Height: 12 cm

Weight of complete back-frame: approx. 4,0 kg. Weight coupled as stretcher: approx. 8.0 kg.

Load capacity as back-transporting device: normally max. 50 kg is permitted

Load capacity as coupled stretcher: 160 kg Temperature resistance: - 50° C to +100° C

Flight approvals: Austria: AUT-Austro Control, FS 3/88, issue 2 -ZI.6421-1/15-95

Germany: D-Luftfahrtverträglichkeitsprüfung Reg.6545-2005-01

Art.No.:


42.000.002 x 2 (complete stretcher, sliding on the ground in one direction) 46.000.002 x 2 (complete stretcher, sliding on the ground in both directions)

Transport all rescue and medical equipment in pathless difficult terrain to the scene of accident.





2 back- pack devices coupled together...



make up a very capable rescue stretcher that can be pulled on the ground

- in both directions art.no. 46.000.002
- in one direction art.no. 42.000.002











Head protection Art.No. 42.000.210

The head cover protects the patient's head in all rescue situations. It can be rolled and easily stored.









Wheel Systems



Extension Handles

Handle

with fixed angle

Art.No. 45.100.006



Handle

with adjustable angle 17 positions, 360°

Art.No. 46.100.006





Wheel System Alpine with one or two wheels and extension handles with fixed or adjustable angle

Wheel dimension: 40 x 9 cm with one wheel Art.No. 45.100.100

with two wheels

Art.No. 45.100.00







Canyon Rescue Rigid flotation devices



Maximum 6 rigid flotation devices





Canyon Rescue Inflatable flotation devices



Art.No. 43.500.101 for head mount Art.No. 43.500.102 for side mount







Ackja System for winter operation



One-Man-Ackja






Front frame + Rear skates Art.No. 45.100.013



Two-Man-Ackja



2 Front frames Art.No. 45.100.030







Accessories & Configurations

Stretcher with carrying harness

Art. No.: 42.000.002 x 2 or 46.000.002 x 2 Including two back-transporting device with:

- Tubular frame with sliding surface
- Carrying harness
- Back net with pocket
- Two load/pateint securing straps
- Detachable load frame (42.002.100)
- Coupling with Satefy Pin and Easy-Opening feature
- Coupling protection

Dimension of stretcher:

Length: 200 cm Width: 44 cm Weight: 8,0 kg



Stretcher without carrying harness

Art. No.: 42.000.006 x 2 or 46.000.006 x 2

Dimension of stretcher:

Length: 180 cm Width: 44 cm Weight: 4,8 kg

Including:

- Tubular frame with sliding surface
- Coupling with Safety Pin and Easy-Opening feature





Load frame

Standard, 10 cm Art. No.: 42.002.100

Length: 10 cm Weight: 0,4 kg



Dimension of stretcher with load frame: Length: 200 cm Width: 44 cm Weight: 4,8 kg



Load frame

Large, 20 cm

Art. No.: 42.000.030

Length:20 cm Weight: 0,5 kg



Dimension of stretcher with load frame: Length: 220 cm Width: 44 cm Weight: 4,8 kg



Width extension frames

Art. No.: 42.000.102 (1 pair left & right)

Width of stretcher: 60 cmWeight: $2 \times 0.6 \text{ kg} = 1.2 \text{ kg}$





Mattress for stretcher with length of 200cm

Art. No.: 43.500.103 x 2


Length: 100 cm Width: 40 cm Weight: 1,2 kg

Ocm Ocm

Mattress for stretcher with length of 220cm

Art. Nr.: 43.500.105 x 2

Length: 110 cm Width: 40 cm Weight: 1,35 kg



Art. No.: RLP2006



Patient restraint straps

Art. No.: 9006X01 Blue

Art. No.: 9049X01 Red

Art. No.: 9048X01 Yellow Art. No.: 9053X01 Green Art. No.: 9047X01 Black







Extension handle for Wheel System & Ackja System,

adjustable

Art. No.: 46.100.006 Weight: 3,2 kg

Extension handle for Wheel System & Ackja System

Art. No.: 45.100.006 Weight: 2,4 kg




Wheel System Alpine

One-Wheel-System

Art. No.: 45.100.100 Weight: 4 kg

Wheel dimension: 40 x 9 cm



Weight: 9,8 kg



One-wheel-system

Art. No.: 45.100.200 with brake Art. No.: 45.100.300 without brake

Weight: 5,5 kg. Wheel dimension: 50 x 5 cm





Ackja System Alpine

for One-Man-Operation


Art. No.: 45.100.013

Weight of Front Frame: 3,5 kg, of Rear Skates 0,6 kg x 2 = 1,2 kg



Ackja System Alpine for Two-Man-Operation

Art. No.: 45.100.030 Weight: 2 x 3,5 kg = 7 kg



Head Protection

Art. No.: 42.000.210 Weight: 1,7 kg





Rigid Flotation Devices


Art. No.: 43.500.001

Length: 70 cm Diameter: 15 cm



Weight: 0,65 kg

Inflatable Flotation Devices



Art. No.: 43.500.102

Length/Width: 74 cm x 15 cm Weight: 0,4 kg

Flotation Cylinder for head mount

Art.No.: 43.500.101

Length/Width: 42 cm x 15 cm Weight: 0,3 kg



Carry Handle, removable

Art. No.: 9082





Foot Strap for patient positioning

Art. No.: RLP2226-V02





Shoulder Strap for patient positioning

Art. No.: RLP2236



Carry Bag

Art. No.: 44.003.001





Lifting Straps

STANDARD, horizontal lifting Length adjustable using the red loops.

Black straps with red loops for head and foot end, 4 pcs. Yellow straps with red loops for middle part, 2 pcs. Carabiner not included.

Art. No.: 42.050.108



PRO-LIFTING, horizontal lifting

Length of yellow head / foot straps are length adjustable using red loops. Length of black straps on the sides are adjustable to desired exact length.

4 pcs. yellow straps, head / foot, with red loops

2 pcs. black straps on the sides, length adjustable

2 pcs. Rigging plates 6 pcs. Express loops 6 pcs. Carabiner

Art. Nr.: 42.050.109



PRO LIFTING – horizontal & vertical lifting

All straps are adjustable to desired exact length.

4 pcs. yellow straps head / foot 2 pcs. black straps on the sides

2 pcs. Rigging plates 6 pcs. Express loops 6 pcs. Carabiner

Art. Nr.: 42.050.135



Bag for Lifting straps

Art. No.: 42.050.123







Quality management in accordance with EN ISO 9001 - EN ISO 13485

certified by





made by:

Kohlbrat & Bunz GmbH Loretostrasse 4-8 5550 Radstadt Austria

T: +43 6452 7193 0

F: +43 6452 7193 51

office@kohlbrat-bunz.com www.kohlbrat-bunz.com